




**TECHNICAL DATA SHEET** 

## **NBV** series

**NBV 30 P** 



### **BASIC DATA:**

deficiencies

no
yes
not allowed
on mobile stand
no
yes, 1 bulb
powder laquered aluminium
high quality reflective aluminium
built in lamp body
+10°C to +40°C
+10°C to +40°C 30% to 70%
30% to 70%





#### **TECHNICAL DATA SHEET**

# **NBV** series

### **NBV 30 P**

### **DIRECT RADIATION UV-C GERMICIDAL LAMP**

### **TECHNICAL DATA:**

Supply voltage	230 V, 50 Hz
Power consumption	33 W
UV-C bulbs (Philips/Osram)	1 x 30 W (TUV/HNS)
UV-C radiation wave-length	253,7 nm
Useful lifetime of the UV-C bulbs	min. 8000 h
Radiation intensity of the external UV-C tube at the distance of 1m	$2,3\mathrm{W/m^2}$
Effective area of the lamp	12-15m <sup>2</sup>
Exposure angle adjustment range	240°
Anti-shock protection class	I .
Ingress Protection Code	IP 20
Operation mode	continuous
Lamp body dimensions	960 x 85 x 135 mm
Total lamp mass	8,5 kg
Height of the stand	180,0 cm
Power cord length	3,0 m, ended with the socket plug

### **APPLICATION RECOMMENDATIONS:**

### Hospitals

- operation theatres
- intensive care units
- emergency rooms
- examination and treatment rooms
- reception units
- patient rooms, isolation rooms
- soiled/dirty utility rooms

Outpatient clinics Medical laboratories Chemist's Beauty salons Pharmaceutical industry Food industry Cosmetic industry

Ultra-Viol's realisation